

N89C-1

PALLET COIL NAILER **50mm - 89mm, Serrated Tip**




Features and Benefits:

- Heavy Duty Industrial Coil Nailer
- Magnesium housing
- Steel guards with anti-skid rubber inserts
- Adjustable exhaust with steel backer plate
- Patented Push-Button depth of drive adjustment
- Serrated Tip version!



15° Wire Collated Coil



Wire Collated Coil



Serrated Tip



Specifications:

1,050 inch/lbs driving power
Fastener Length: 50mm to 89mm
Fastener Diameter: 2.50mm to 3.75mm
15° Angle Wire Collated Coil Nails
Tool Weight: 3.7kgs
Magazine Capacity: 225-300
Power to Weight Ratio: 129
Operating Pressure: 70-120 PSI
Serrated Tip included



N89C-1P

COIL NAILER

50mm - 89mm, Plain (Smooth) Tip




Features and Benefits:

- Heavy Duty Industrial Coil Nailer
- Magnesium housing
- Steel guards with anti-skid rubber inserts
- Adjustable exhaust with steel backer plate
- Patented Push-Button depth of drive adjustment
- New Bostitch Smart Trigger™
- Plain (smooth) Tip version!



15° Wire Collated Coil



Wire Collated Coil



Plain Tip



Specifications:

- 1,050 inch/lbs driving power
- Fastener Length: 50mm to 89mm
- Fastener Diameter: 2.50mm to 3.75mm
- 15° Angle Wire Collated Coil Nails
- Tool Weight: 3.7kgs
- Magazine Capacity: 225-300
- Operating Pressure: 70-120 PSI
- Power to Weight Ratio: 130



N71C-1

PALLET COIL NAILER

38mm - 70mm




Features and Benefits:

- Durable cast Aluminium frame and cap
- Fast, dependable engine design
- New canister design fully opens, making re-loading faster - there is no bottom lip to catch nail points
- Durable fixed front exhaust



15° Wire Collated Coil



Wire Collated Coil

Specifications:

757 inch/lbs driving power
Fastener Length: 38mm to 70mm
15° Angle Wire Collated Coil Nails
Tool Weight: 5.8kgs
Power to Weight Ratio: 96
Operating Pressure: 70 to 120 PSI



Pallet and Crate

BOSTITCH

N80CB-1ML

INDUSTRIAL COIL NAILER


38mm-83mm



Features and Benefits:

- Aluminium housing for job site durability
- Magazine canister holds up to 300 nails for high production applications
- Quick-open composite canister survives falls
- Rubber grip for added comfort
- Aggressive toe-nailing teeth grip timber for slip-free nailing
- Adjustable deflector conveniently directs exhaust away from the user

15° Wire Collated Coil



Wire Collated Coil

Specifications:

- Fastener Length: 38mm to 83mm
- Accepts 15° angled wire collated coil nails
- Tool weight: 3.81kgs
- Driving Power: 880 inch/lbs
- Power to Weight Ratio: 105
- Operating Pressure: 70 to 120 PSI
- Magazine Capacity: 300 nails

Applications:

- Pallets and Crates
- Sheathing
- Strapping
- Fencing
- Exterior Decks
- Bridging



N400C-1

HIGH-POWER COIL NAILER


57mm-100mm



Features and Benefits:

- Heavy Duty Industrial Coil Nailer
- Aluminium Housing
- Steel Wear guards
- Fixed front exhaust
- Secondary handle & Protective Shroud

15° Wire Collated Coil



SMOOTH RING SCREW



Wire Collated Coil

Specifications:

1,450 inch/lbs driving power
Fastener Length: 57mm to 100mm
15° Angle Wire Collated Coil Nails
Fastener Diameter: 2.50mm to 3.80mm
Tool Weight: 6.3kgs
Operating Pressure: 70 to 120 PSI

Applications:

- Pallets and Crates
- Sheathing
- Strapping
- Fencing
- Exterior Decks
- Bridging



Pallet and Crate ■

BOSTITCH
STANLEY